

AISS^{4.5}



ABOUT



AISS is an environment to store, access and maintain toolbar images under AmigaOS and Amiga based systems.

The images are placed in two separate drawers. The first drawer is for the default pictures provided by the AISS distribution, while the second drawer is for additional images by 3rd party applications. Both directories are merged together for a big stock of images.

INSTALLATION


A script for an easy installation is included. It adds all needed directories and assigns to your system. Just press the 'Install' icon to proceed.



A script will first check for previous installations of AISS and then add the relevant drawers and images to your system. The assigns of AISS will be provided by another script which will be placed in your WBStartup drawer.

LAYOUT

The following figure shows the logical configuration of AISS. The images are stored in two different drawers and then assigned under 'TBImages:' to build a storage for all kind of pictures.



While the drawer 'SYS:Classes/ToolbarImages/Default/' keeps the default images of AISS, the drawer 'SYS:Classes/ToolbarImages/Contrib/' contents the pics of 3rd party applications. If two images with the same name are stored in each drawer, the pictures from the „Default“ drawer will be used.

STORE IMAGES

Image	Suffix	Status	Example
		normal	drawer
	_g	ghosted	drawer_g
	_s	selected	drawer_s

To use your own images with the AISS environment you have to copy them to the directory 'SYS:Classes/ToolbarImages/Contrib/'. Please never save your own pictures to the directories 'TBImages:' or 'SYS:Classes/ToolbarImages/Default/'.

The extensions _g for ghosted and _s for selected images are suggested. If you have an image set with multiple states please use a numeration for the suffix like _g1, _g2 or _s1, _s2.


Never use file type extensions like .iff, .jpg or .png for the images.

ACCESS IMAGES

To access the images of AISS just use the path 'TBIImages:' The following example shows how AISS will access the images: The icons 'open', 'save', 'sep' and 'rss' should be load to the Toolbar.

'Open' and 'Save' are part of AISS and will be load from the 'default' drawer. There is another icon for 'save' in the 'contrib' drawer, but as the 'default' drawer is the leading drawer the images from this drawer are be used.

The icons 'rss' and 'sep' are not in the 'default' drawer, so the images from the 'contrib' drawer will be used.



The figure above shows the access of images with AISS.

IMAGE FORMAT

AISS uses 32 bit (24 bit + 8 bit alpha channel) PNG images. The standard AmigaOS 3.x PNG-Datatype do not support 32 bit formats. If you have display problems (wrong background colours or no shadow) please install more advanced datatype.

THIRD PARTY APPLICATIONS

AISSView is a viewer for the AISS Toolbar images by Dave Norris.

You can easily change the button state, button style and bitmap style to see how these affect the button. The archive is available on OS4Depot.net.

AISSAnimShow is a viewer for the AISS animations by Tuomas Hokka .

Watch all animations of AISS in a single window on the Workbench. The archive is available on OS4Depot.net.

DISCLAIMER

The author can not be made responsible for any damage on hard- and/or software.

YOUR USING THIS MATERIAL AT YOUR OWN RISK!

AMIGA and its logos are registered trademarks of the trademarks holder.

LICENCE

You are free:

To Share — to copy, distribute and transmit the work

Under the following conditions:

Attribution. You must attribute the work in the manner specified by the author or licensor (but not in any way that suggests that they endorse you or your use of the work). Non commercial. You may not use this work for commercial purposes. No Derivative Works. You may not alter, transform, or build upon this work.

For any reuse or distribution, you must make clear to others the license terms of this work. The best way to do this is with a link to the creative commons web page:

<http://creativecommons.org/licenses/by-nc-nd/2.0/de/deed.en>

Any of the above conditions can be waived if you get permission from the copyright holder.

Nothing in this license impairs or restricts the author's moral rights.

CONTACT

Please use the following mail address to contact me

mason @ masonicons . de

or

***Martin 'Mason' Merz
Sallingersiedlung 3
86609 Donauwörth
Germany***

INDEX OF IMAGES

	Page		Page
0-9		M	
7-Segment-Display	6	Mails & Messaging	27
A		Measure & Sizes	28
Add & Remove	6	Midi	28
Address book	6	N	
Appointment & Calendar	7	Navigation	29
Archive	8	Note	29
B	8	Notice	29
Background	8	O	
Bézier Curves	8	Object Handling	30
Browser & Net	9	P	
Buttons	10	Painting Forms & Objects	30
C		Palette	33
CD Operations	10	Phone	33
Clipboard	11	Plugins	33
Connections	11	Pointer	34
D		Power Management	36
Database & Spreadsheet	11	Preview	36
Date & Time	12	Print	37
Delete	13	Progress Animations	38
Development	13	Project	38
Display Settings	14	Protection	39
Drawing & Painting	14	S	
E		Screen & Show	39
Emoticons	14	Scrolling	39
F		Selection	40
File System	15	Send to	40
Files	17	Sorting	40
Filter	17	Sound & Music	40
Find & Search	17	T	
Font	18	Tab	41
Frames	18	Tapedeck	41
G		Text	42
Gadgets	19	Toolbar	43
Gallery & Pictures	20	U	
H		Undo & Redo	44
Help & Info	21	User	44
K		W	
Keys	21	Webcam	44
L		Window & Lister	45
Layers & Lenses	21	Z	
Light-Emitting-Diodes	22	Zoom	45
Lightroom	22		
Listview	23		
Listview Images	23		

8 7-SEGMENT-DISPLAY

Image	Filename	Description	Size	N	G	S
	7seg_0	7-Segment-Display 0	14x24	•		
	7seg_1	7-Segment-Display 1	14x24	•		
	7seg_2	7-Segment-Display 2	14x24	•		
	7seg_3	7-Segment-Display 3	14x24	•		
	7seg_4	7-Segment-Display 4	14x24	•		
	7seg_5	7-Segment-Display 5	14x24	•		
	7seg_6	7-Segment-Display 6	14x24	•		
	7seg_7	7-Segment-Display 7	14x24	•		
	7seg_8	7-Segment-Display 8	14x24	•		
	7seg_9	7-Segment-Display 9	14x24	•		
	7seg_am	7-Segment-Display AM	14x24	•		
	7seg_colon	7-Segment-Display colon	14x24	•		
	7seg_degree	7-Segment-Display degree	14x24	•		
	7seg_dot	7-Segment-Display dot	4x24	•		
	7seg_minus	7-Segment-Display minus	14x24	•		
	7seg_off	7-Segment-Display off	14x24	•		
	7seg_offampm	7-Segment-Display AM/PM off	14x24	•		
	7seg_off_colon	7-Segment-Display colon off	14x24	•		
	7seg_offdot	7-Segment-Display dot off	4x24	•		
	7seg_pm	7-Segment-Display PM	14x24	•		
	7seg_prime	7-Segment-Display arcminute	14x24	•		

ADD & REMOVE

Image	Filename	Description	N	G	S
	add	Add an item or object	•	•	•
	remove	Remove an item or object	•	•	•

ADDRESS BOOK

Image	Filename	Description	N	G	S
	addressbook	Open an address book	•	•	•
	addressbookadd	Add addresses to an address book	•	•	•



ADDRESS BOOK

Image	Filename	Description	N	G	S
	addressbookremove	Remove addresses from an address book	•	•	•
	businesscard	Open a businesscard	•	•	•
	businesscardadd	Add a businesscard	•	•	•
	businesscardremove	Remove a businesscard	•	•	•
	favourites	Open list of favourites	•	•	•
	favouritesadd	Add favourites	•	•	•
	favouritesremove	Remove favourites	•	•	•



APPOINTMENT & CALENDAR

Image	Filename	Description	N	G	S
	appointment	Appointment operations	•	•	•
	appointmentadd	Add an appointment	•	•	•
	appointmentdel	Delete an appointment	•	•	•
	appointmentinvite	Invite to an appointment	•	•	•
	cal	Calendar operations	•	•	•
	caladd	Add a new calendar	•	•	•
	calday	Display a day of a calendar	•	•	•
	caldelete	Delete a calendar	•	•	•
	caledit	Edit a calendar	•	•	•
	calmonth	Display a month in a calendar	•	•	•
	calmultiweek	Display several weeks in a calendar	•	•	•
	calremove	Remove a complete calendar	•	•	•
	caltoday	Display today	•	•	•
	caltwo	Display two days in a calendar	•	•	•
	calview	Open or display a calendar	•	•	•
	calweek	Display a week in a calendar	•	•	•
	calwork	Display a working week in a calendar	•	•	•
	calyear	Display a year in a calendar	•	•	•
	task	Display task	•	•	•
	taskadd	Add a task	•	•	•
	taskdel	Delete a task	•	•	•



ARCHIVE

Image	Filename	Description	N	G	S
	archive	Archive operations	•	•	•
	archiveadd	Add files to an archive	•	•	•
	archivecheck	Check integrity of an archive	•	•	•
	archiveclose	Close an archive	•	•	•
	archivecloseall	Close all archives	•	•	•
	archiveextract	Extract the content of an archive	•	•	•
	archiveextractsel	Extract selected content of an archive	•	•	•
	archivenew	Create a new archive	•	•	•
	archiveopen	Open an archive	•	•	•
	archiveopenall	Open all archives	•	•	•
	archiveview	View the content of an archive	•	•	•



BACKGROUND

Image	Filename	Description	N	G	S
	bgblank	Select a blank background	•	•	•
	bggradient	Select a gradient for background	•	•	•
	bgimages	Select a image for background	•	•	•
	bginvert	Invert background colours	•	•	•
	bgscreen	Add a pattern for a screen	•	•	•
	bgtoolbar	Add a pattern for a Toolbar	•	•	•
	bgwindow	Add a pattern for a window	•	•	•



BÉZIER CURVES

Image	Filename	Description	N	G	S
	bezieradd	Add a Bézier curve	•	•	•
	bezierasymmetric	Create a asymmetric Bézier curve	•	•	•
	bezierclose	Create a closed area with Bézier curves	•	•	•
	bezierconvert	Convert Bézier curves	•	•	•
	bezieredge	Bézier curve edge	•	•	•
	bezierfilled	Create a filled area with Bézier curves	•	•	•
	bezierlinecut	Cut a Bézier curve	•	•	•



BÉZIER CURVES

Image	Filename	Description	N	G	S
	<i>bezierglue</i>	Connect two Bézier curves	•	•	•
	<i>beziermove</i>	Move Bézier curve	•	•	•
	<i>bezierpointadd</i>	Add a point to a Bézier curve	•	•	•
	<i>bezierpointremove</i>	Remove a point from a Bézier curve	•	•	•
	<i>bezierremove</i>	Remove a Bézier curve	•	•	•
	<i>beziersymmetric</i>	Create a symmetric Bézier curve	•	•	•
	<i>bezierunfilled</i>	Create a area with Bézier curves	•	•	•



BROWSER & NET

Image	Filename	Description	Size	N	G	S
	<i>Browser</i>	Browser gadget	36x24	•	3	5
	<i>cookie</i>	Cookie operations		•	•	•
	<i>download</i>	Download files		•	•	•
	<i>fastlink</i>	Add a hyper link		•	•	•
	<i>firewall</i>	Edit firewall settings		•	•	•
	<i>firewall_off</i>	Firewall off		•	•	•
	<i>go</i>	Open a internet address		•	•	•
	<i>history</i>	Show browser history		•	•	•
	<i>historyopen</i>	Open browser history		•	•	•
	<i>historysave</i>	Save browser history		•	•	•
	<i>home</i>	Browse to your start page		•	•	•
	<i>licence</i>	Show licence of a page		•	•	•
	<i>link</i>	Open link to a internet page		•	•	•
	<i>linkamiga</i>	Open link to an Amiga page		•	•	•
	<i>linkgoogle</i>	Open link to Google		•	•	•
	<i>linkyahoo</i>	Open link to Yahoo!		•	•	•
	<i>nav_east</i>	Browse forward		•	•	•
	<i>nav_west</i>	Browse back		•	•	•
	<i>nettransfer</i>	Start transfer over the internet		•	•	•
	<i>network</i>	Set Network preferences		•	•	•
	<i>refresh</i>	Refresh display		•	•	•



BROWSER & NET

Image	Filename	Description	Size	N	G	S
	reload	Reload page		•	•	•
	reloadimage	Reload images		•	•	•
	rss	Start a RSS feed		•	•	•
	searchweb	Search in a network		•	•	•
	stop	Stop		•	•	•
	stopall	Stop all		•	•	•
	upload	Upload files		•	•	•
	world	World		•	•	•



BUTTONS

Image	Filename	Description	Size	N	G	S
	cancel	Add a cancel button		•	•	•
	dialog	Open a general dialogue box		•	•	•
	dialog_cancel	Dialogue cancel button		•	•	•
	dialog_ok	Dialogue OK button		•	•	•
	ok	Add an OK button		•	•	•
	ok-cancel	Add an OK-cancel combination	48x24	•	•	•
	popup	Add a pop up button	12x24	•	•	•
	prefs	Set general preferences		•	•	•
	use	Add an use button		•	•	•
	warning	Dialogue warning button		•	•	•



CD OPERATIONS

Image	Filename	Description	N	G	S
	cd_burn	Burn a CD	•	•	•
	cd_copy	Copy a CD	•	•	•
	cd_format	Format a CD	•	•	•
	cd_makeimage	Make a CD image	•	•	•
	cd_rip	Rip a CD	•	•	•

CLIPBOARD

Image	Filename	Description	N	G	S
	copy	Copy items or objects to clipboard	•	•	•
	copyas	Copy and rename objects	•	•	•
	cut	Cut items or objects to clipboard	•	•	•
	glue	Glue items or objects to clipboard	•	•	•
	move	Move items or objects to clipboard	•	•	•
	moveas	Move and rename objects	•	•	•
	paste	Paste items or objects from clipboard	•	•	•

CONNECTIONS

Image	Filename	Description	N	G	S
	connect	Connect to the internet or network	•	•	•
	connectdir	Connect to a network directory	•	•	•
	connectdrive	Connect to a network drive	•	•	•
	disconnect	Disconnect from the internet or network	•	•	•
	disconnectdir	Disconnect to a network directory	•	•	•
	disconnectdrive	Disconnect to a network drive	•	•	•

DATABASE & SPREADSHEET

Image	Filename	Description	N	G	S
	cell	Cell operations	•	•	•
	celladd	Add a cell	•	•	•
	cellcenter	Centre cell content vertical	•	•	•
	celldown	Align cell content down	•	•	•
	celljoin	Join cells	•	•	•
	celllineadd	Add a line of cells	•	•	•
	celllineremove	Remove a line of cells	•	•	•
	cellremove	Remove a cell	•	•	•
	cellrowadd	Add a row of cells	•	•	•
	cellrowremove	Remove a row of cells	•	•	•
	cellsplit	Split a cell	•	•	•
	celltop	Align cell content up	•	•	•



DATABASE & SPREADSHEET

Image	Filename	Description	N	G	S
\$	currencydollar	Set currency to Dollar	•	•	•
€	currencyeuro	Set currency to Euro	•	•	•
£	currencypound	Set currency to Pound	•	•	•
	db	Database operations	•	•	•
	dbadd	Add a database	•	•	•
	dbaddrelations	Add relations to a database	•	•	•
	dbremove	Remove a database	•	•	•
	dbsql	SQL operations	•	•	•
	dbsync	Synchronize a database	•	•	•
	fields	Field operations	•	•	•
	fieldsadd	Add field	•	•	•
	fieldschooser	Add chooser field	•	•	•
	fieldsname	Change the name of a field	•	•	•
	fieldsremove	Remove field	•	•	•
%	percent	Per cent calculation	•	•	•
	record	Record operations	•	•	•
	recordadd	Add record	•	•	•
	recordremove	Remove record	•	•	•
Σ	sum	Add a sum	•	•	•
	table	Table operations	•	•	•
	tableadd	Add table	•	•	•
	tableremove	Remove table	•	•	•



DATE & TIME

Image	Filename	Description	N	G	S
	date	Display or insert date	•	•	•
	time	Show or insert time	•	•	•
	timer	Timer operations	•	•	•
	timer_off	Timer off	•	•	•



DELETE

Image	Filename	Description	N	G	S
	delete	Delete items or objects	•	•	•
	undelete	Undelete items or objects	•	•	•



DEVELOPMENT

Image	Filename	Description	N	G	S
	anchor	Add an anchor	•	•	•
	arexx	Start ARexx or a ARexx script	•	•	•
	breakpoint	Add a breakpoint	•	•	•
	comment	Add a comment	•	•	•
	debug	Debug source code	•	•	•
	drop-project	Select project	•	•	•
	edit	Edit project or text	•	•	•
	editor	Start an editor	•	•	•
	error	Show error messages	•	•	•
	form	Add a form to a website	•	•	•
	frame	Add a frame to a website	•	•	•
	frames-bottom	Add a frame to the bottom of a page	•	•	•
	frames-left	Add a frame to the left of a page	•	•	•
	frames-left-top	Add a frame to the left and top of a page	•	•	•
	frames-left-top-bottom	Add a frame to the left, top & bottom of a page	•	•	•
	frames-top	Add a frame to the top of a page	•	•	•
	frames-top-left	Add a frame to the top and left of a page	•	•	•
	java	Start JAVA or a JAVA script	•	•	•
	link-anchor	Link to an anchor	•	•	•
	link-home	Link to home	•	•	•
	link-mail	Link to mail	•	•	•
	link-page	Link to a page	•	•	•
	link-picture	Link to a image or picture	•	•	•
	mui	Set general MUI preferences	•	•	•
	pc	Start a program counter	•	•	•
	run	Run a program or compile	•	•	•



DEVELOPMENT

Image	Filename	Description	N	G	S
	tool	Open a tool	•	•	•
	wizzard	Start a wizard	•	•	•



DISPLAY SETTINGS

Image	Filename	Description	N	G	S
	displaybrighter	Set brightness of a display	•	•	•
	displaycontrast	Set contrast of a display	•	•	•



DRAWING & PAINTING

Image	Filename	Description	Size	N	G	S
	display3d	Display or use 3D mode		•	•	•
	alias	Set anti alias		•	•	•
	aliasoff	Remove anti alias		•	•	•
	aliason	Add anti alias		•	•	•
	cottonbud	Use cotton bud to manipulate		•	•	•
	del	Delete parts of a picture		•	•	•
	fill	Fill an area or an object		•	•	•
	Fix	Fix something	32x24	•	•	•
	fx	Use effects on an image		•	•	•
	gradient	Set gradient pattern		•	•	•
	pipette	Get colour from an object		•	•	•
	redeye	Remove red eyes from images		•	•	•
	rotatefree	Rotate free		•	•	•
	spraycan	Spray an area or an object		•	•	•
	transparence	Set transparency		•	•	•



EMOTICONS

Image	Filename	Description	Size	N	G	S
	emoticon_angel	Emoticon angel	16x16	•		
	emoticon_angry	Emoticon angry	16x16	•		
	emoticon_bat	Emoticon bat	16x16	•		



EMOTICONS

Image	Filename	Description	Size	N	G	S
	emoticon_bigsmile	Emoticon bigsmile	16x16	•		
	emoticon_blush	Emoticon blush	16x16	•		
	emoticon_cool	Emoticon cool	16x16	•		
	emoticon_cry	Emoticon cry	16x16	•		
	emoticon_devil	Emoticon devil	16x16	•		
	emoticon_dontknow	Emoticon do not know	16x16	•		
	emoticon_gutted	Emoticon gutted	16x16	•		
	emoticon_happy	Emoticon happy	16x16	•		
	emoticon_nerd	Emoticon nerd	16x16	•		
	emoticon_party	Emoticon party	16x16	•		
	emoticon_roll	Emoticon roll	16x16	•		
	emoticon_sad	Emoticon sad	16x16	•		
	emoticon_sealed	Emoticon sealed	16x16	•		
	emoticon_secret	Emoticon secret	16x16	•		
	emoticon_sick	Emoticon sick	16x16	•		
	emoticon_surprise	Emoticon surprise	16x16	•		
	emoticon_think	Emoticon think	16x16	•		
	emoticon_tired	Emoticon tired	16x16	•		
	emoticon_tongue	Emoticon tongue	16x16	•		
	emoticon_wink	Emoticon wink	16x16	•		
	emoticon_worried	Emoticon worried	16x16	•		



FILESYSTEM

Image	Filename	Description	N	G	S
	addicon	Add an icon to a file	•	•	•
	assign	Make or display assigns	•	•	•
	backup	Create a backup	•	•	•
	cd	Display a CDRom drive	•	•	•
	convert	Convert a file	•	•	•
	copyfile	Copy file to another directory	•	•	•
	device	Display a device	•	•	•



FILESYSTEM

Image	Filename	Description	N	G	S
	<i>drawer</i>	<i>Display a drawer</i>	•	•	•
	<i>draweropen</i>	<i>Display a open drawer</i>	•	•	•
	<i>export</i>	<i>Export a file</i>	•	•	•
	<i>exportpicture</i>	<i>Export a picture</i>	•	•	•
	<i>exporttext</i>	<i>Export a text</i>	•	•	•
	<i>folder</i>	<i>Folder</i>	•	•	•
	<i>getcampsics</i>	<i>Get pictures from a camera</i>	•	•	•
	<i>haddisk</i>	<i>Display a hard disk</i>	•	•	•
	<i>import</i>	<i>Import from a file</i>	•	•	•
	<i>insert_pic</i>	<i>Insert a picture from a file</i>	•	•	•
	<i>movefile</i>	<i>Move file to another directory</i>	•	•	•
	<i>newdrawer</i>	<i>Create a new drawer</i>	•	•	•
	<i>open</i>	<i>Open a project from disk</i>	•	•	•
	<i>parent</i>	<i>Open parent directory</i>	•	•	•
	<i>partition</i>	<i>Display a partition</i>	•	•	•
	<i>ramdisk</i>	<i>Display a ram disk or memory usage</i>	•	•	•
	<i>rdbcopy</i>	<i>Copy boot block</i>	•	•	•
	<i>removeicon</i>	<i>Remove an icon from a file</i>	•	•	•
	<i>rename</i>	<i>Rename a file or directory</i>	•	•	•
	<i>reorg</i>	<i>Reorganize a hard disk</i>	•	•	•
	<i>restore</i>	<i>Restore a backup</i>	•	•	•
	<i>salvage</i>	<i>Salvage disk</i>	•	•	•
	<i>save</i>	<i>Save project or display a disk</i>	•	•	•
	<i>saveall</i>	<i>Save all projects</i>	•	•	•
	<i>saveas</i>	<i>Save project with a new name</i>	•	•	•
	<i>sendfile</i>	<i>Send file to a destination</i>	•	•	•
	<i>server</i>	<i>Display a server</i>	•	•	•
	<i>swap</i>	<i>Swap</i>	•	•	•
	<i>sync</i>	<i>Synchronise projects or data</i>	•	•	•
	<i>update</i>	<i>Update a program or informations</i>	•	•	•

FILES

Image	Filename	Description	N	G	S
	anim	Animation file	•	•	•
	animtransfer	Transfer animation file	•	•	•
	file	Display a file	•	•	•
	filebroken	Display a broken file	•	•	•
	filecad	Display a CAD file	•	•	•
	filesize	Display the size of a file	•	•	•
	filesource	Display a source file	•	•	•
	fileswap	Swap files	•	•	•
	images	Display a image file	•	•	•
	images_error	Display a missing image	•	•	•
	index	Display an index file	•	•	•
	report	Display a report	•	•	•
	settings	Settings	•	•	•
	template	Template	•	•	•

FILTER

Image	Filename	Description	N	G	S
	filter	Use a filter	•	•	•
	filter_off	Disable a filter	•	•	•
	filteredit	Edit a filter	•	•	•
	filtertoggle	toggle a filter	•	•	•

FIND & SEARCH

Image	Filename	Description	N	G	S
	find	Find a file	•	•	•
	findlast	Find last file	•	•	•
	findnext	Find next file	•	•	•
	occurrence	Count occurrence of a text string	•	•	•
	replace	Replace text	•	•	•
	replaceall	Replace all text	•	•	•
	search	Search a text string	•	•	•

FIND & SEARCH

Image	Filename	Description	N	G	S
	searchlast	Search last text string	•	•	•
	searchnext	Search next text string	•	•	•

FONT

Image	Filename	Description	N	G	S
	font_back	Set background colour of text	•	•	•
	font_bitmap	Use bitmap font	•	•	•
	font_bold	Use bold font	•	•	•
	font_buline	Use bold and underlined font	•	•	•
	font_cancel	Use cancelled font	•	•	•
	font_color	Set colour of text	•	•	•
	font_distance	Send distance of types	•	•	•
	font_doubleuline	Use double underlined font	•	•	•
	font_down	Set font inferior	•	•	•
	font_invert	Use inverted font	•	•	•
	font_italic	Use italic font	•	•	•
	font_larger	Increase the size of a font	•	•	•
	font_normal	Use normal font	•	•	•
	font_oline	Use over lined font	•	•	•
	font_outline	Use outline font	•	•	•
	font_shaddow	Use font with a shadow	•	•	•
	font_size	Set font size	•	•	•
	font_smaller	Decrease the size of a font	•	•	•
	font_type	Set font type	•	•	•
	font_uline	Use underlined font	•	•	•
	font_up	Set font superscript	•	•	•

FRAMES

Image	Filename	Description	N	G	S
	frame_0	Frame operations	•		
	frame_1	Add a frame to a cell	•		

FRAMES

Image	Filename	Description	N	G	S
	frame_2	Add a frame to a cell	•		
	frame_3	Add a frame to a cell	•		
	frame_4	Add a frame to a cell	•		
	frame_5	Add a frame to a cell	•		
	frame_6	Add a frame to a cell	•		
	frame_7	Add a frame to a cell	•		
	frame_8	Add a frame to a cell	•		
	frame_9	Add a frame to a cell	•		
	frame_10	Add a frame to a cell	•		
	frame_11	Add a frame to a cell	•		
	frame_12	Add a frame to a cell	•		
	frame_13	Add a frame to a cell	•		
	frame_14	Add a frame to a cell	•		

GADGETS

Image	Filename	Description	Size	N	G	S
	gadget_button	Add a button gadget	48x24	•	•	•
	gadget_center	Add a center gadget	48x24	•	•	•
	gadget_checkbox	Add a check box gadget	48x24	•	•	•
	gadget_chooser	Add a chooser gadget	48x24	•	•	•
	gadget_clicktab	Add a click tab gadget	48x24	•	•	•
	gadget_colorwheel	Add a colour wheel gadget	48x24	•	•	•
	gadget_datebrowser	Add a date browser gadget	48x24	•	•	•
	gadget_fuelgauge	Add a fuel gauge gadget	48x24	•	•	•
	gadget_getfile	Add a get file gadget	48x24	•	•	•
	gadget_getfont	Add a get font gadget	48x24	•	•	•
	gadget_getscreenmode	Add a get screen mode gadget	48x24	•	•	•
	gadget_gradientslider	Add a gradient slider gadget	48x24	•	•	•
	gadget_integer	Add a integer gadget	48x24	•	•	•
	gadget_layout	Add a layout gadget	48x24	•	•	•
	gadget_listbrowser	Add a list browser gadget	48x24	•	•	•



GADGETS

Image	Filename	Description	Size	N	G	S
	<i>gadget_palette</i>	Add a palette gadget	48x24	•	•	•
	<i>gadget_partition</i>	Add a partition gadget	48x24	•	•	•
	<i>gadget_radiobutton</i>	Add a radio button gadget	48x24	•	•	•
	<i>gadget_scroller</i>	Add a scroller gadget	48x24	•	•	•
	<i>gadget_sketchboard</i>	Add a sketch board gadget	48x24	•	•	•
	<i>gadget_slider</i>	Add a slider gadget	48x24	•	•	•
	<i>gadget_space</i>	Add a space gadget	48x24	•	•	•
	<i>gadget_speedbar</i>	Add a speed bar gadget	48x24	•	•	•
	<i>gadget_string</i>	Add a string gadget	48x24	•	•	•
	<i>gadget_tapedeck</i>	Add a tapedeck gadget	48x24	•	•	•
	<i>gadget_texteditor</i>	Add a text editor gadget	48x24	•	•	•
	<i>gadget_textfield</i>	Add a text field gadget	48x24	•	•	•
	<i>gadget_thumblist</i>	Add a thumb list gadget	48x24	•	•	•
	<i>gadget_virtual</i>	Add a virtual gadget	48x24	•	•	•



GALLERY & PICTURES

Image	Filename	Description	N	G	S
	<i>fliphorizontal</i>	Flip a picture horizontal	•	•	•
	<i>flipvertical</i>	Flip a picture vertical	•	•	•
	<i>picture</i>	Picture operations	•	•	•
	<i>picturegrey</i>	Change picture colours to grey scale	•	•	•
	<i>pictureinvert</i>	Invert picture colours	•	•	•
	<i>pictureload</i>	Insert a picture to another one	•	•	•
	<i>pictureresizenorm</i>	Show picture in given size	•	•	•
	<i>pictureresizeopt</i>	Show picture optimized to screen size	•	•	•
	<i>picturerotateleft</i>	Rotate picture left	•	•	•
	<i>picturerotateright</i>	Rotate picture right	•	•	•



HELP & INFO

Image	Filename	Description	N	G	S
	help	Start help	•	•	•
	helpbubble	Display bubble help	•	•	•
	helpoff	Stop help	•	•	•
	info	Display informations about a program	•	•	•
	infobubble	Display informations in a bubble	•	•	•



KEYS

Image	Filename	Description	N	G	S
	key_alt	Alt	•	•	•
	key_altgr	AltGr	•	•	•
	key_amigal	Left Amiga	•	•	•
	key_amigar	Right Amiga	•	•	•
	key_capslock	Shift / Capslock	•	•	•
	key_ctrl	Ctrl	•	•	•
	key_fn	Fn	•	•	•



LAYERS & LENSES

Image	Filename	Description	N	G	S
	layer	Layer operations	•	•	•
	layeradd	Add a layer	•	•	•
	layercuttomask	Cut layer to mask	•	•	•
	layerduplicate	Duplicate layer	•	•	•
	layerfrombg	Create layer from background	•	•	•
	layerlensemerge	Merge layer and lense	•	•	•
	layermask	Create mask from layer	•	•	•
	layermaskreverse	Mask operations	•	•	•
	layermerge	Merge layers	•	•	•
	layernew	New layer	•	•	•
	layerremove	Remove a layer	•	•	•
	layertext	Create text layer	•	•	•
	layertoback	Move layer to back one step	•	•	•



LAYERS & LENSES

Image	Filename	Description	N	G	S
	layertobg	Create background from layer	•	•	•
	layertofront	Move layer to front one step	•	•	•
	layertomask	Create mask from layer	•	•	•
	lense	Lense operations	•	•	•
	lenseadd	Add a lense	•	•	•
	lensemerge	Merge lenses	•	•	•
	lensenew	New lense	•	•	•
	lenseremove	Remove a lense	•	•	•



LIGHT-EMITTING-DIODES

Image	Filename	Description	N	G	S
PREVIEW SHOWS SELECTED IMAGE!					
	led_blue	Display a blue LED	•	•	•
	led_green	Display a green LED	•	•	•
	led_red	Display a red LED	•	•	•
	led_yellow	Display a yellow LED	•	•	•



LIGHTROOM

Image	Filename	Description	N	G	S
	lightroom_back	Light from back	•	•	•
	lightroom_e	Light from East	•	•	•
	lightroom_front	Light from front	•	•	•
	lightroom_n	Light from North	•	•	•
	lightroom_ne	Light from North East	•	•	•
	lightroom_nw	Light from North West	•	•	•
	lightroom_s	Light from South	•	•	•
	lightroom_se	Light from South East	•	•	•
	lightroom_sw	Light from South West	•	•	•
	lightroom_w	Light from West	•	•	•



LISTVIEW

Image	Filename	Description	N	G	S
	<i>drawers</i>	Display listview in icon mode	•	•	•
	<i>treedirfold</i>	Display or fold a directory tree	•	•	•
	<i>treedirunfold</i>	Display or unfold a directory tree	•	•	•
	<i>treefold</i>	Display or fold a tree	•	•	•
	<i>treeunfold</i>	Display or unfold a tree	•	•	•



LISTVIEW IMAGES

Image	Filename	Description	Size	N	G	S
	<i>list_abstract</i>	Abstract	16x16	•		
	<i>list_add</i>	Add	16x16	•		
	<i>list_app</i>	Application	16x16	•		
	<i>list_archive</i>	Archive	16x16	•		
	<i>list_arexx</i>	Arexx	16x16	•		
	<i>list_assign</i>	Assign	16x16	•		
	<i>list_attachment</i>	Attachment	16x16	•		
	<i>list_awaymsg</i>	Away message	16x16	•		
	<i>list_bomb</i>	Bomb	16x16	•		
	<i>list_book</i>	Address book or Library	16x16	•		
	<i>list_bookmark</i>	Bookmark	16x16	•		
	<i>list_bubble</i>	Bubble help	16x16	•		
	<i>list_buddy</i>	Chat partner	16x16	•		
	<i>list_buddyallowed</i>	Chat partner is allowed	16x16	•		
	<i>list_buddyaway</i>	Chat partner is away	16x16	•		
	<i>list_buddyblocked</i>	Chat partner is blocked	16x16	•		
	<i>list_buddybusy</i>	Chat partner is busy	16x16	•		
	<i>list_buddygroup</i>	Group of chat partners	16x16	•		
	<i>list_buddylist</i>	List of chat partners	16x16	•		
	<i>list_buddyoffline</i>	Chat partner is off-line	16x16	•		
	<i>list_buddyonline</i>	Chat partner is on-line	16x16	•		
	<i>list_buddypending</i>	Chat partner is pending	16x16	•		
	<i>list_buddyreverse</i>	Chat partner is reverse	16x16	•		

LISTVIEW IMAGES

Image	Filename	Description	Size	N	G	S
	<i>list_cancel</i>	Cancel	16x16	•		
	<i>list_caret</i>	Colour caret	16x16	•		
	<i>list_cd</i>	Compact Disk	16x16	•		
	<i>list_checkbox</i>	Check box	16x16	•		
	<i>list_checkmark</i>	Check mark	16x16	•		
	<i>list_clipboard</i>	Clipboard	16x16	•		
	<i>list_computer</i>	Computer	16x16	•		
	<i>list_crypt</i>	Mail or file is encrypted	16x16	•		
	<i>list_delete</i>	Deleted items	16x16	•		
	<i>list_device</i>	Device	16x16	•		
	<i>list_disk</i>	Disk	16x16	•		
	<i>list_download</i>	Downloaded items	16x16	•		
	<i>list_drawer</i>	Drawer	16x16	•		
	<i>list_edit</i>	Edit	16x16	•		
	<i>list_emoticons</i>	Emoticons	16x16	•		
	<i>list_file</i>	File	16x16	•		
	<i>list_flaggreen</i>	Green flag (for status)	16x16	•		
	<i>list_flagred</i>	Red flag (for status)	16x16	•		
	<i>list_flagyellow</i>	Yellow flag (for status)	16x16	•		
	<i>list_floppydisk</i>	Floppy disk	16x16	•		
	<i>list_fold</i>	fold	16x16	•		
	<i>list_folderempty</i>	Empty folder for mails	16x16	•		
	<i>list_folderfold</i>	Fold folder	16x16	•		
	<i>list_folderincoming</i>	Folder incoming mails	16x16	•		
	<i>list_folderincomingnew</i>	Folder incoming new mails	16x16	•		
	<i>list_folderoutgoing</i>	Folder for outgoing mails	16x16	•		
	<i>list_folderoutgoingnew</i>	Folder for outgoing new mails	16x16	•		
	<i>list_foldersent</i>	Folder for sent mails	16x16	•		
	<i>list_folderunfold</i>	Unfolded folder	16x16	•		
F	<i>list_font</i>	Font	16x16	•		
	<i>list_helpoff</i>	Help off	16x16	•		

LISTVIEW IMAGES

Image	Filename	Description	Size	N	G	S
	<i>list_helpon</i>	<i>Help on</i>	16x16	•		
	<i>list_hold</i>	<i>Mail is not sent</i>	16x16	•		
	<i>list_image</i>	<i>Image or picture</i>	16x16	•		
	<i>list_incoming</i>	<i>Incoming message</i>	16x16	•		
	<i>list_info</i>	<i>Information</i>	16x16	•		
	<i>list_infobubble</i>	<i>Info bubble</i>	16x16	•		
	<i>list_junk</i>	<i>Junk</i>	16x16	•		
	<i>list_key</i>	<i>Key</i>	16x16	•		
	<i>list_led</i>	<i>Display a off LED</i>	16x16	•		
	<i>list_led_blue</i>	<i>Display a blue LED</i>	16x16	•		
	<i>list_led_green</i>	<i>Display a green LED</i>	16x16	•		
	<i>list_led_red</i>	<i>Display a red LED</i>	16x16	•		
	<i>list_led_yellow</i>	<i>Display a yellow LED</i>	16x16	•		
	<i>list_log</i>	<i>Log file</i>	16x16	•		
	<i>list_mailbroken</i>	<i>Broken mail</i>	16x16	•		
	<i>list_mailforward</i>	<i>Forwarded mail</i>	16x16	•		
	<i>list_mailforwarded</i>	<i>Mail was forwarded</i>	12x16	•		
	<i>list_mailhold</i>	<i>Mail hold</i>	16x16	•		
	<i>list_mailincomming</i>	<i>Incoming mail</i>	16x16	•		
	<i>list_mailnew</i>	<i>New mail</i>	16x16	•		
	<i>list_mailold</i>	<i>Old mail</i>	16x16	•		
	<i>list_mailoutgoing</i>	<i>Outgoing mail</i>	16x16	•		
	<i>list_mailreplied</i>	<i>Mail has been replied</i>	16x16	•		
	<i>list_mailreply</i>	<i>Replied mail</i>	12x16	•		
	<i>list_mailsend</i>	<i>Send mail</i>	16x16	•		
	<i>list_mailspam</i>	<i>Spam mail</i>	16x16	•		
	<i>list_mailunread</i>	<i>Unread mail</i>	16x16	•		
	<i>list_mailunsend</i>	<i>Unsent mail</i>	16x16	•		
	<i>list_make</i>	<i>Make</i>	16x16	•		
	<i>list_menu</i>	<i>Menu</i>	16x16	•		
	<i>list_netdisk</i>	<i>Net disk</i>	16x16	•		

LISTVIEW IMAGES

Image	Filename	Description	Size	N	G	S
	<i>list_netdrawer</i>	Net drawer	16x16	•		
	<i>list_netprint</i>	Net printer	16x16	•		
	<i>list_network</i>	Network	16x16	•		
	<i>list_new</i>	New item	16x16	•		
	<i>list_node</i>	Node	16x16	•		
	<i>list_node_collaps</i>	Collaps node	16x16	•		
	<i>list_node_expand</i>	Expand node	16x16	•		
	<i>list_objects</i>	Objects	16x16	•		
	<i>list_ok</i>	OK	16x16	•		
	<i>list_outgoing</i>	Outgoing messages	16x16	•		
	<i>list_palette</i>	Palette	16x16	•		
	<i>list_partition</i>	Partition	16x16	•		
	<i>list_plug</i>	Plug	16x16	•		
	<i>list_plugin</i>	Plug-in	16x16	•		
	<i>list_pluginoff</i>	Plug-in off	16x16	•		
	<i>list_pointer</i>	Pointer	16x16	•		
	<i>list_pop3</i>	Pop 3 account	16x16	•		
	<i>list_prefs</i>	Preferences	16x16	•		
	<i>list_preview</i>	Preview	16x16	•		
	<i>list_print</i>	Print	16x16	•		
	<i>list_remove</i>	Remove	16x16	•		
	<i>list_reverse</i>	Mail reverse	16x16	•		
	<i>list_screen</i>	Screen	16x16	•		
	<i>list_section</i>	Section mark	16x16	•		
	<i>list_scully</i>	Scully	16x16	•		
	<i>list_search</i>	Search	16x16	•		
	<i>list_signed</i>	Signed	16x16	•		
	<i>list_sound</i>	Sound	16x16	•		
	<i>list_tab</i>	Tabulator	16x16	•		
	<i>list_tinybuddy</i>	Chat partners small	16x10	•		
	<i>list_typing</i>	Typing	16x16	•		

LISTVIEW IMAGES

Image	Filename	Description	Size	N	G	S
	<i>list_upload</i>	<i>Upload items</i>	<i>16x16</i>	•		
	<i>list_urgent</i>	<i>Display a urgent item or mail</i>	<i>16x16</i>	•		
	<i>list_use</i>	<i>Use</i>	<i>16x16</i>	•		
	<i>list_warning</i>	<i>Warning</i>	<i>16x16</i>	•		

MAIL & MESSAGING

Image	Filename	Description	Size	N	G	S
	<i>attachment</i>	<i>Add or show attachment</i>		•	•	•
	<i>attachmentlist</i>	<i>Show list of attachment</i>		•	•	•
	<i>avatar_custom</i>	<i>Display a not customized avatar</i>	<i>60x60</i>	•	•	•
	<i>chat</i>	<i>Start chat</i>		•	•	•
	<i>emoticons</i>	<i>Use emoticon</i>		•	•	•
	<i>flaggreen</i>	<i>A green flag to display a status</i>		•	•	•
	<i>flagred</i>	<i>A red flag to display a status</i>		•	•	•
	<i>flagyellow</i>	<i>A yellow flag to display a status</i>		•	•	•
	<i>junk</i>	<i>Set junk mail properties</i>		•	•	•
	<i>mail</i>	<i>Mail operations</i>		•	•	•
	<i>mailcopy</i>	<i>Copy mail to a directory</i>		•	•	•
	<i>mailforward</i>	<i>Forward a mail</i>		•	•	•
	<i>mailget</i>	<i>Get mail from a server</i>		•	•	•
	<i>mailimap</i>	<i>Handle IMAP server</i>		•	•	•
	<i>mailmove</i>	<i>Move mail to a directory</i>		•	•	•
	<i>mailnew</i>	<i>New mail</i>		•	•	•
	<i>mailreply</i>	<i>Reply mail</i>		•	•	•
	<i>mailreplyall</i>	<i>Reply mail to all</i>		•	•	•
	<i>mailsend</i>	<i>Send mail to a server</i>		•	•	•
	<i>mailspam</i>	<i>Mark mail as spam</i>		•	•	•
	<i>mailspammove</i>	<i>Move mail to a spam directory</i>		•	•	•
	<i>movetofolder</i>	<i>Move file to a directory</i>		•	•	•
	<i>pop3</i>	<i>Set POP3 account</i>		•	•	•

MAIL & MESSAGING

Image	Filename	Description	Size	N	G	S
	sign	Insert signature		•	•	•
	signature_pgp	Insert PGP signature		•	•	•
	signature_smime	Insert S/MIME signature		•	•	•
	signet	Signet		•	•	•

MEASURE & SIZES

Image	Filename	Description	N	G	S
	distance	Set distance between objects	•	•	•
	font_distance	Send distance of types	•	•	•
	font_size	Set font size	•	•	•
	posx	Set x-position	•	•	•
	posy	Set y-position	•	•	•
	rulerhorizontal	Set horizontal ruler	•	•	•
	rulers	Set rulers	•	•	•
	rulervertical	Set vertical ruler	•	•	•
	sizehorizontal	Set horizontal size	•	•	•
	sizevertical	Set vertical size	•	•	•
	space15	Set space to 1.5	•	•	•
	spacedouble	Set double space	•	•	•
	spacesingle	Set single space	•	•	•
	spaceundef	Set individual space	•	•	•

MIDI

Image	Filename	Description	N	G	S
	midi	Midi	•	•	•
	midi_in	Midi in	•	•	•
	midi_off	Midi off	•	•	•
	midi_out	Midi out	•	•	•

NAVIGATION

Image	Filename	Description	N	G	S
	<i>jump_back</i>	<i>Jump back</i>	•	•	•
	<i>jump_line</i>	<i>Jump to line</i>	•	•	•
	<i>jump_next</i>	<i>Jump to next</i>	•	•	•
	<i>nav_east</i>	<i>Navigate east (Forward)</i>	•	•	•
	<i>nav_north</i>	<i>Navigate north</i>	•	•	•
	<i>nav_northeast</i>	<i>Navigate north-east</i>	•	•	•
	<i>nav_northwest</i>	<i>Navigate north-west</i>	•	•	•
	<i>nav_south</i>	<i>Navigate south</i>	•	•	•
	<i>nav_southeast</i>	<i>Navigate south-east</i>	•	•	•
	<i>nav_southwest</i>	<i>Navigate south-west</i>	•	•	•
	<i>nav_west</i>	<i>Navigate west (Back)</i>	•	•	•
	<i>page_first</i>	<i>Navigate to first page</i>	•	•	•
	<i>page_last</i>	<i>Navigate to last page</i>	•	•	•
	<i>page_next</i>	<i>Navigate to next page</i>	•	•	•
	<i>page_previous</i>	<i>Navigate to previous page</i>	•	•	•

NOTES

Image	Filename	Description	N	G	S
	<i>note_1</i>	<i>Whole note</i>	•		
	<i>note_2</i>	<i>Halve note</i>	•		
	<i>note_4</i>	<i>quarter note</i>	•		
	<i>note_8</i>	<i>Eighth note</i>	•		
	<i>note_16</i>	<i>Sixteenth note</i>	•		
	<i>note_32</i>	<i>Thirty-second note</i>	•		

NOTICE

Image	Filename	Description	N	G	S
	<i>notice</i>	<i>Display a notice</i>	•	•	•
	<i>noticeadd</i>	<i>Add a notice</i>	•	•	•
	<i>noticeremove</i>	<i>Remove a notice</i>	•	•	•

OBJECT HANDLING

Image	Filename	Description	N	G	S
	<i>align_grid</i>	<i>Align object to a grid</i>	•	•	•
	<i>bringfront</i>	<i>Move object to front one step</i>	•	•	•
	<i>bringtofront</i>	<i>Move object to front</i>	•	•	•
	<i>brush</i>	<i>Copy or paste object preferences</i>	•	•	•
	<i>bundle</i>	<i>Bundle several objects</i>	•	•	•
	<i>clone</i>	<i>Clone an object</i>	•	•	•
	<i>connector</i>	<i>Add a connector</i>	•	•	•
	<i>duclicate</i>	<i>Duplicate an object</i>	•	•	•
	<i>grid</i>	<i>Use a grid to arrange objects</i>	•	•	•
	<i>hand</i>	<i>Move items or objects</i>	•	•	•
	<i>joint</i>	<i>Add a joint</i>	•	•	•
	<i>select</i>	<i>Select an item or object mode</i>	•	•	•
	<i>selection</i>	<i>Show selected items or objects</i>	•	•	•
	<i>sendback</i>	<i>Move object to back one step</i>	•	•	•
	<i>sendtoback</i>	<i>Move object to back</i>	•	•	•
	<i>setxt</i>	<i>Select a text string</i>	•	•	•
	<i>shadow</i>	<i>Use shadow on an object</i>	•	•	•
	<i>unbundle</i>	<i>Unbundle bundled objects</i>	•	•	•

PAINT FORMS & OBJECTS

Image	Filename	Description	N	G	S
	<i>actor</i>	<i>Draw or use an actor object</i>	•	•	•
	<i>arrowdown</i>	<i>Draw a down arrow object</i>	•	•	•
	<i>arrowdowncolored</i>	<i>Draw a coloured down arrow object</i>	•	•	•
	<i>arrowdownfilled</i>	<i>Draw a filled down arrow object</i>	•	•	•
	<i>arrowleft</i>	<i>Draw a left arrow object</i>	•	•	•
	<i>arrowleftcolored</i>	<i>Draw a coloured left arrow object</i>	•	•	•
	<i>arrowleftfilled</i>	<i>Draw a filled left arrow object</i>	•	•	•
	<i>arrowright</i>	<i>Draw a right arrow object</i>	•	•	•
	<i>arrowrightcolored</i>	<i>Draw a coloured right arrow object</i>	•	•	•
	<i>arrowrightfilled</i>	<i>Draw a filled right arrow object</i>	•	•	•

PAINT FORMS & OBJECTS

Image	Filename	Description	N	G	S
	<i>arrowstyleend</i>	Define the end style of a line	•	•	•
	<i>arrowstylestart</i>	Define the start style of a line	•	•	•
	<i>arrowup</i>	Draw a up arrow object	•	•	•
	<i>arrowupcolored</i>	Draw a coloured up arrow object	•	•	•
	<i>arrowupfilled</i>	Draw a filled up arrow object	•	•	•
	<i>cake</i>	Draw a cake object	•	•	•
	<i>cakecolored</i>	Draw a coloured cake object	•	•	•
	<i>cakefilled</i>	Draw a filled filled object	•	•	•
	<i>circle</i>	Draw a circle	•	•	•
	<i>circlecolored</i>	Draw a colour filled circle	•	•	•
	<i>circlefilled</i>	Draw a filled circle	•	•	•
	<i>class</i>	Draw a class object	•	•	•
	<i>cloud</i>	Draw a cloud shaped object	•	•	•
	<i>cloudalt</i>	Draw a alternative cloud shaped object	•	•	•
	<i>curve</i>	Draw a curve object	•	•	•
	<i>diamond</i>	Draw a diamond shaped object	•	•	•
	<i>diamondcolored</i>	Draw a colour filled diamond	•	•	•
	<i>diamondfilled</i>	Draw a filled diamond	•	•	•
	<i>drawline</i>	Draw a line object	•	•	•
	<i>drawstar</i>	Draw a star shaped object	•	•	•
	<i>elypse</i>	Draw a ellipse	•	•	•
	<i>elypsecolored</i>	Draw a colour filled ellipse	•	•	•
	<i>elypsefilled</i>	Draw a filled ellipse	•	•	•
	<i>exclamation</i>	Draw an exclamation mark	•	•	•
	<i>freehand</i>	Draw a freehand line	•	•	•
	<i>freehandarea</i>	Draw a freehanded area	•	•	•
	<i>freehandcolored</i>	Draw a colour filled freehanded area	•	•	•
	<i>freehandfilled</i>	Draw a filled freehanded area	•	•	•
	<i>freehandpoints</i>	Draw a freehanded line with points	•	•	•
	<i>hexagon</i>	Draw a hexagon	•	•	•
	<i>hexagoncolored</i>	Draw a colour filled hexagon	•	•	•



PAINT FORMS & OBJECTS

Image	Filename	Description	N	G	S
	hexagonfilled	Draw a filled hexagon	•	•	•
	lightning	Draw a lightning	•	•	•
	lightningbolt	Draw a filled lightning	•	•	•
	lightningcolored	Draw a colour filled lightning	•	•	•
	linetype	Select line type	•	•	•
	or	Connection	•	•	•
	parleft	Draw a right parallelogram	•	•	•
	parleftcolored	Draw a colour filled right parallelogram	•	•	•
	parleftfilled	Draw a filled right parallelogram	•	•	•
	parright	Draw a left parallelogram	•	•	•
	parrightcolored	Draw a colour filled left parallelogram	•	•	•
	parrightfilled	Draw a filled left parallelogram	•	•	•
	pensize	Select the pen size	•	•	•
	pentagon	Draw a pentagon	•	•	•
	pentagoncolored	Draw a colour filled pentagon	•	•	•
	pentagonfilled	Draw a filled pentagon	•	•	•
	processbar	Draw a process bar	•	•	•
	processstrip	Draw a process strip	•	•	•
	quadrat	Draw a quadrangle	•	•	•
	quadratcolored	Draw a colour filled quadrangle	•	•	•
	quadratfilled	Draw a filled quadrangle	•	•	•
	question	Draw a question mark	•	•	•
	radius	Set radius of a form	•	•	•
	rounded	Draw a rounded quadrangle	•	•	•
	roundedcolored	Draw a colour filled rounded quadrangle	•	•	•
	roundedfilled	Draw a filled rounded quadrangle	•	•	•
	start-stop	Draw a start-stop connector	•	•	•
	think	Draw a think sign	•	•	•
	thinkalt	Draw a alternative think sign	•	•	•
	trapezium	Draw a trapezium	•	•	•
	trapeziumcolored	Draw a coloured trapezium	•	•	•



PAINT FORMS & OBJECTS

Image	Filename	Description	N	G	S
	<i>trapeziumfilled</i>	<i>Draw a filled trapezium</i>	•	•	•
	<i>triangle</i>	<i>Draw a triangle</i>	•	•	•
	<i>trianglecolored</i>	<i>Draw a coloured triangle</i>	•	•	•
	<i>trianglefilled</i>	<i>Draw a filled triangle</i>	•	•	•



PALETTE

Image	Filename	Description	N	G	S
	<i>palette</i>	<i>Palette operations</i>	•	•	•
	<i>palettectmyk</i>	<i>Set palette to CMYK format</i>	•	•	•
	<i>palettegrey</i>	<i>Set palette to grey format</i>	•	•	•
	<i>palettergb</i>	<i>Set palette to RGB format</i>	•	•	•
	<i>paletteyuv</i>	<i>Set palette to YUV format</i>	•	•	•



PHONE

Image	Filename	Description	N	G	S
	<i>phone</i>	<i>Phone operations</i>	•	•	•
	<i>phoneanswer</i>	<i>Answer a phone call</i>	•	•	•
	<i>phonedivert</i>	<i>Divert a phone call</i>	•	•	•
	<i>phonehangup</i>	<i>Quit a phone call</i>	•	•	•
	<i>phone_off</i>	<i>Phone off</i>	•	•	•



PLUGINS

Image	Filename	Description	N	G	S
	<i>plugged</i>	<i>Plug-in in use</i>	•	•	•
	<i>plugin</i>	<i>Plug-in operations</i>	•	•	•
	<i>pluginadd</i>	<i>Add Plug-in</i>	•	•	•
	<i>pluginremove</i>	<i>Remove Plug-in</i>	•	•	•
	<i>unplugged</i>	<i>Plug-in not in use</i>	•	•	•



POINTER

Image	Filename	Description	Hotspot	Size	N	G	S
	<i>aliasCursor</i>	<i>Pointer</i>	X: 8 Y: 0	46x46	•		
	<i>altCursor</i>	<i>Pointer</i>	X: 10 Y: 0	46x46	•		
	<i>cellCursor</i>	<i>Pointer</i>	X: 8 Y: 8	46x46	•		
	<i>columnResizeCursor</i>	<i>Pointer</i>	X: 9 Y: 7	46x46	•		
	<i>contextMenuCursor</i>	<i>Pointer</i>	X: 0 Y: 0	46x46	•		
	<i>copyCursor</i>	<i>Pointer</i>	X: 0 Y: 0	46x46	•		
	<i>crossHairCursor</i>	<i>Pointer</i>	X: 8 Y: 8	46x46	•		
	<i>dragndropCursor</i>	<i>Pointer</i>	X: 0 Y: 0	46x46	•		
	<i>eastResizeCursor</i>	<i>Pointer</i>	X: 17 Y: 3	46x46	•		
	<i>eastWestResizeCursor</i>	<i>Pointer</i>	X: 9 Y: 3	46x46	•		
	<i>helpCursor</i>	<i>Pointer</i>	X: 0 Y: 0	46x46	•		
	<i>linkCursor</i>	<i>Pointer</i>	X: 7 Y: 1	46x46	•		
	<i>moveCursor</i>	<i>Pointer</i>	X: 7 Y: 1	46x46	•		
	<i>noDropCursor</i>	<i>Pointer</i>	X: 0 Y: 0	46x46	•		
	<i>noneCursor</i>	<i>Pointer</i>	X: 0 Y: 0	46x46	•		
	<i>normalCursor</i>	<i>Pointer</i>	X: 0 Y: 0	46x46	•		
	<i>northEastResizeCursor</i>	<i>Pointer</i>	X: 7 Y: 7	46x46	•		
	<i>northEastSouthWest ResizeCursor</i>	<i>Pointer</i>	X: 7 Y: 7	46x46	•		



POINTER

Image	Filename	Description	Hotspot	Size	N	G	S
	northResizeCursor	Pointer	X: 3 Y: 0	46x46	•		
	northSouthResizeCursor	Pointer	X: 3 Y: 7	46x46	•		
	northWestResizeCursor	Pointer	X: 0 Y: 7	46x46	•		
	northWestSouthEast ResizeCursor	Pointer	X: 7 Y: 7	46x46	•		
	notAllowedCursor	Pointer	X: 7 Y: 7	46x46	•		
	penCursor	Pointer	X: 0 Y: 0	46x46	•		
	progressCursor	Pointer	X: 0 Y: 0	46x46	•		
	rowResizeCursor	Pointer	X: 7 Y: 9	46x46	•		
	scrollAllCursor	Pointer	X: 9 Y: 9	46x46	•		
	selectCursor	Pointer	X: 0 Y: 0	46x46	•		
	southEastResizeCursor	Pointer	X: 13 Y: 13	46x46	•		
	southResizeCursor	Pointer	X: 4 Y: 17	46x46	•		
	southWestResizeCursor	Pointer	X: 0 Y: 13	46x46	•		
	textCursor	Pointer	X: 3 Y: 0	46x46	•		
	verticaltextCursor	Pointer	X: 0 Y: 3	46x46	•		
	waitCursor	Pointer	X: 0 Y: 0	46x46	•		
	westResizeCursor	Pointer	X: 17 Y: 3	46x46	•		
	zoomInCursor	Pointer	X: 9 Y: 9	46x46	•		



POINTER

Image	Filename	Description	Hotspot	Size	N	G	S
	zoomOutCursor	Pointer	X: 9 Y: 9	46x46	•		



POWER MANAGEMENT

Image	Filename	Description	N	G	S
	plug	plug	•	•	•
	powerman	battery	•	•	•



PREVIEW

Image	Filename	Description	Pre-Pos	Pre-Size	Size	N	G	S
	pre_monitor	Preview monitor display	X: 8 y: 8	80x60	96x96	•		
	pre_monitorhdtv	Preview 16:9 monitor display	X: 23 y: 8	80x45	96x96	•		
	pre_paper	Preview of printout	X: 18 y: 5	60x86	96x96	•		
	pre_paperlandscape	Preview of landscaped printout	X: 5 y: 18	86x60	96x96	•		
	pre_slide	Preview of images	X: 18 y: 8	60x80	96x96	•		
	pre_slidelandscape	Preview of landscaped images	X: 8 y: 18	80x60	96x96	•		



PRINT

Image	Filename	Description	Size	N	G	S
	footer	Edit footer of a page		•	•	•
	footermargin	Edit footer margin of a page		•	•	•
	forcenewpage	Force a new page		•	•	•
	header	Edit header of a page		•	•	•
	headerfooter	Edit header & footer of a page		•	•	•
	headermargin	Edit header margin of a page		•	•	•
	margin	Edit margins of a page		•	•	•
	marginbottom	Edit bottom margin of a page		•	•	•
	marginleft	Edit left margin of a page		•	•	•
	marginright	Edit right margin of a page		•	•	•
	margintop	Edit top margin of a page		•	•	•
	orientation_l	Set orientation of the page		•	•	•
	orientation_lr	Set orientation of the page		•	•	•
	orientation_p	Set orientation of the page		•	•	•
	orientation_pr	Set orientation of the page		•	•	•
	page	Insert number of the page		•	•	•
	pages	Insert total number of pages		•	•	•
	pdf	Create a PDF file		•	•	•
	poster	Create a poster		•	•	•
	preview	Show preview of printout		•	•	•
	preview1page	Preview one page	32x24	•	•	•
	preview2pages	Preview two pages	32x24	•	•	•
	preview4pages	Preview four pages	32x24	•	•	•
	previewbook	Preview in book layout	32x24	•	•	•
	print	Print		•	•	•
	printimage	Print an image		•	•	•
	printselected	Printed selected items		•	•	•
	rotateleft	Rotate full page left		•	•	•
	rotateright	Rotate full page right		•	•	•
	sourceshow	Show source code		•	•	•



PROGRESS ANIMATIONS

Image	Filename	Description	Size	Frames
	<i>anim_burn</i>	<i>Burning a CD or CDRW</i>	64x64	4
 	<i>anim_copy</i>	<i>Copying files</i>	160x80	16
	<i>anim_find</i>	<i>Find a file</i>	64x64	8
	<i>anim_print</i>	<i>Printing</i>	46x46	6
	<i>anim_probe</i>	<i>Probing a network</i>	46x46	8
	<i>anim_progress</i>	<i>General progress animation</i>	46x46	8
	<i>anim_search</i>	<i>Search</i>	46x46	8
	<i>anim_spin</i>	<i>Accessing a CD or CDRW</i>	46x46	4
	<i>anim_transfer</i>	<i>Network access</i>	12x58	22



PROJECT

Image	Filename	Description	N	G	S
	<i>close</i>	<i>Close a project</i>	•	•	•
	<i>new</i>	<i>Open a new project</i>	•	•	•
	<i>presetpage</i>	<i>Open a new project from a pre set</i>	•	•	•
	<i>open</i>	<i>Open a project from disk</i>	•	•	•
	<i>quit</i>	<i>Quit a program</i>	•	•	•
	<i>save</i>	<i>Save project</i>	•	•	•
	<i>saveall</i>	<i>Save all projects</i>	•	•	•
	<i>saveas</i>	<i>Save project with a new name</i>	•	•	•

PROTECTION

Image	Filename	Description	N	G	S
	<i>protect</i>	<i>Protection operations</i>	•	•	•
	<i>protectdrawer</i>	<i>Protect a drawer</i>	•	•	•
	<i>protectdrive</i>	<i>Protect a drive</i>	•	•	•
	<i>protectfile</i>	<i>Protect a file</i>	•	•	•
	<i>protectssl</i>	<i>SSL protection</i>	•	•	•

SCREEN & SHOW

Image	Filename	Description	Size	N	G	S
	<i>blanker</i>	<i>Start screenblanker</i>		•	•	•
	<i>fullscreen</i>	<i>Display full screen</i>		•	•	•
	<i>refresh</i>	<i>Refresh display</i>		•	•	•
	<i>screen</i>	<i>Set screen mode or full screen</i>		•	•	•
	<i>show</i>	<i>Display or show images</i>		•	•	•
	<i>slideshow</i>	<i>Start slide show</i>		•	•	•
	<i>snapshot</i>	<i>Snapshot a screen or window</i>		•	•	•
	<i>window</i>	<i>Set window or window mode</i>		•	•	•

SCROLLING

Image	Filename	Description	Size	N	G	S
	<i>scrolldown</i>	<i>Scroll down</i>	<i>14x14</i>	•	•	•
	<i>scrollend</i>	<i>Scroll to the last line</i>	<i>14x14</i>	•	•	•
	<i>scrollfirst</i>	<i>Scroll to the first position of a line</i>	<i>14x14</i>	•	•	•
	<i>scrolllast</i>	<i>Scroll to the last position of a line</i>	<i>14x14</i>	•	•	•
	<i>scrollleft</i>	<i>Scroll to the left</i>	<i>14x14</i>	•	•	•
	<i>scrollpan</i>	<i>Scroll pan</i>	<i>14x14</i>	•	•	•
	<i>scrollright</i>	<i>Scroll to the right</i>	<i>14x14</i>	•	•	•
	<i>scrollstart</i>	<i>Scroll to the first line</i>	<i>14x14</i>	•	•	•
	<i>scrollup</i>	<i>Scroll up</i>	<i>14x14</i>	•	•	•

SELECTION

Image	Filename	Description	N	G	S
	<i>selectall</i>	Select all items or objects	•	•	•
	<i>selectalltext</i>	Select all text of a document	•	•	•
	<i>selectclass</i>	Select classified items or objects	•	•	•
	<i>selectnone</i>	Reselect all items or objects	•	•	•
	<i>selectpat</i>	Select items or objects via a pattern	•	•	•
	<i>selecttoggle</i>	Toggle selection	•	•	•

SEND TO

Image	Filename	Description	N	G	S
	<i>sendtoarchive</i>	Send file to a archive	•	•	•
	<i>sendtocd</i>	Send file to a CD	•	•	•
	<i>sendtodrawer</i>	Send file to a drawer	•	•	•
	<i>sendtomail</i>	Send file via mail	•	•	•

SORTING

Image	Filename	Description	N	G	S
	<i>sortdown</i>	Sort down	•	•	•
	<i>sortup</i>	Sort up	•	•	•

SOUND & MUSIC

Image	Filename	Description	N	G	S
	<i>mic</i>	Set microphone or record sound	•	•	•
	<i>mic_off</i>	Set microphone off	•	•	•
	<i>player</i>	Play sounds	•	•	•
	<i>prelisten</i>	Prelisten sounds	•	•	•
	<i>sfx_apply</i>	Apply SFX	•	•	•
	<i>sfx_box</i>	SFX box	•	•	•
	<i>slider</i>	Set volume	•	•	•
	<i>sound</i>	Sound on	•	•	•
	<i>soundmute</i>	Sound mute	•	•	•
	<i>tapeback</i>	Tape back	•	•	•

SOUND & MUSIC

Image	Filename	Description	N	G	S
	tapeeject	Tape eject	•	•	•
	tapeend	Tape end	•	•	•
	tapeffw	Tape fast forward	•	•	•
	tapeinsert	Tape insert	•	•	•
	tapelast	Tape last	•	•	•
	tapenav	Tape navigation	•	•	•
	tapenext	Tape next	•	•	•
	tapepause	Tape pause	•	•	•
	tapeplay	Tape play	•	•	•
	tapeplaysel	Tape play selected	•	•	•
	taperandom	Tape play random	•	•	•
	taperec	Tape record	•	•	•
	taperew	Tape rewind	•	•	•
	tapestart	Tape start	•	•	•
	tapestop	Tape stop	•	•	•
	triminside	Trim volumn inside selected area	•	•	•
	trimoutside	Trim volumn outside selected area	•	•	•
	wave	Wave	•	•	•

TAB

Image	Filename	Description	N	G	S
	tabadd	Add a browser tab	•	•	•
	tabnew	Add a new browser tab	•	•	•
	tabremove	Remove a browser tab	•	•	•

TAPEDECK

Image	Filename	Description	Size	N	G	S
	stape_1_bg	Button for stape images e.g. 		•	•	•
	stape_2_bg	Button for stape images e.g. 		•	•	•

TAPEDECK

Image	Filename	Description	Size	N	G	S
	stape_3_bg	Button for stape images e.g.	32x32	•	•	•
						
	stape_back	Tape back		•	•	•
	stape_eject	Tape eject		•	•	•
	stape_end	Tape end		•	•	•
	stape_ffw	Tape fast forward		•	•	•
	stape_insert	Tape insert		•	•	•
	stape_last	Tape last		•	•	•
	stape_loop	Tape loop		•	•	•
	stape_nav	Tape navigation		•	•	•
	stape_next	Tape next		•	•	•
	stape_pause	Tape pause		•	•	•
	stape_play	Tape play		•	•	•
	stape_playsel	Tape play selected		•	•	•
	stape_playstop	Tape play / stop		•	•	•
	stape_rec	Tape record		•	•	•
	stape_rew	Tape rewind		•	•	•
	stape_rnd	Tape random		•	•	•
	stape_start	Tape start		•	•	•
	stape_stop	Tape stop		•	•	•

TEXT

Image	Filename	Description	N	G	S
	align_bottom	Align text or objects on bottom	•	•	•
	align_center	Centre text or objects	•	•	•
	align_justified	Justify text or objects	•	•	•
	align_left	Align text or objects left	•	•	•
	align_middle	Align text or objects in the middle	•	•	•
	align_right	Align text or objects right	•	•	•
	align_row	Align text or objects in rows	•	•	•

ABC TEXT

Image	Filename	Description	N	G	S
	<i>align_top</i>	<i>Align text or objects on top</i>	•	•	•
	<i>capital</i>	<i>Capital properties</i>	•	•	•
	<i>capitalleft</i>	<i>Move capital to the left</i>	•	•	•
	<i>capitalnumber</i>	<i>Use numeration for a capital</i>	•	•	•
	<i>capitalpoints</i>	<i>Use points for a capital</i>	•	•	•
	<i>capitalright</i>	<i>Move capital to the right</i>	•	•	•
	<i>capitaldef</i>	<i>Use a definition for a capital</i>	•	•	•
	<i>direction</i>	<i>Set text direction</i>	•	•	•
	<i>directiondowntop</i>	<i>Set text direction down to top</i>	•	•	•
	<i>directiontopdown</i>	<i>Set text direction top to down</i>	•	•	•
	<i>paragraph</i>	<i>Display control characters</i>	•	•	•
	<i>quote</i>	<i>Quote text</i>	•	•	•
	<i>return</i>	<i>Add return as a control character</i>	•	•	•
	<i>space</i>	<i>Add a space</i>	•	•	•
	<i>specialchar</i>	<i>Select a special character</i>	•	•	•
	<i>spell</i>	<i>Spell checker</i>	•	•	•
	<i>spellchecker</i>	<i>Start spell checking</i>	•	•	•
	<i>text</i>	<i>Insert text</i>	•	•	•

TOOLBAR

Image	Filename	Description	Size	N	G	S
	<i>blank</i>	<i>Add a blank area</i>		•	•	•
	<i>popup</i>	<i>Add a pop up button</i>	12x24	•	•	•
	<i>seperator</i>	<i>Add a separator</i>		•	•	•
	<i>seperatorsmall</i>	<i>Add a small separator</i>	12x24	•	•	•
	<i>toolbar</i>	<i>Open or edit Toolbar</i>		•	•	•
	<i>toolbararrow</i>	<i>Toggle Toolbar</i>		•	•	•



UNDO & REDO

Image	Filename	Description	N	G	S
	redo	Redo action	•	•	•
	redo_reverttosaved	Redo action	•	•	•
	undo	Undo action	•	•	•
	undo_reverttosaved	Undo action	•	•	•



USER

Image	Filename	Description	N	G	S
	admin	Change administration rights	•	•	•
	crowd	Undefined group of users	•	•	•
	customname	Customize user name	•	•	•
	group	Group operations	•	•	•
	groupadd	Add a group of users	•	•	•
	groupremove	Remove a group of users	•	•	•
	list	List of users	•	•	•
	user	User operations	•	•	•
	useradd	Add a user	•	•	•
	userblock	Block a user	•	•	•
	userfind	Find a user	•	•	•
	userid	Set user identity	•	•	•
	userremove	Remove user	•	•	•



WEBCAM

Image	Filename	Description	N	G	S
	webcam	Start a webcam conversation	•	•	•
	webcam_off	Quit a webcam conversation	•	•	•
	webcam_snap	Generate a snapshot	•	•	•
	webcam_snaps	Generate a series of snapshots	•	•	•
	webcam_video	Generate a video	•	•	•

WINDOW & LISTER

Image	Filename	Description	N	G	S
	<i>clearlister</i>	<i>Clear the content of a Lister or window</i>	•	•	•
	<i>iconify</i>	<i>Iconify a window or Lister</i>	•	•	•
	<i>shell</i>	<i>Open a new shell</i>	•	•	•
	<i>viewas_icons</i>	<i>View content as icon</i>	•	•	•
	<i>viewas_list</i>	<i>View content as list</i>	•	•	•
	<i>viewas_thumbs</i>	<i>View content as thumb</i>	•	•	•
	<i>viewas_tiles</i>	<i>View content as tiles</i>	•	•	•
	<i>window</i>	<i>Set window or window mode</i>	•	•	•

ZOOM

Image	Filename	Description	N	G	S
	<i>decrease</i>	<i>Decrease</i>	•	•	•
	<i>fit</i>	<i>Fit</i>	•	•	•
	<i>fit_horizontal</i>	<i>Fit horizontal</i>	•	•	•
	<i>fit_vertical</i>	<i>Fit vertical</i>	•	•	•
	<i>increase</i>	<i>Increase</i>	•	•	•
	<i>zoom</i>	<i>Zoom operations</i>	•	•	•
	<i>zoomtomax</i>	<i>Zoom to maximum size</i>	•	•	•
	<i>zoomtomin</i>	<i>Zoom to minimum size</i>	•	•	•
	<i>zoomtosel</i>	<i>Zoom to selected</i>	•	•	•
	<i>zoom_100</i>	<i>Zoom to 100%</i>	•	•	•
	<i>zoom_in</i>	<i>Zoom in</i>	•	•	•
	<i>zoom_out</i>	<i>Zoom out</i>	•	•	•

NOTES

